



Approval Sheet

Customer Information

Customer			
Part Name			
Part No.			
Model No.			
Company	Purchase	R&D	



Vendor Information

Name	SFI Electronics Technology Inc.
Part Name	Chip TVS
Part No.	1206~1210ML Series
Lot No.	

SFI Electronics Technology Inc.

ADDRESS : No.6, Lane 340, Shan-Ying Road, Guishan, Tao Yuan, Taiwan

TEL : 886-3-3506998 FAX : 886-3-3507689 E-mail : sfi@sfi.com.tw


Quality Control	Document Control	Business Issue	
 <p>ISO 9001:2008 ISO 14001:2004 ISO/TS 16949:2009 Management System www.tuv.com ID 1100008833</p>	REV : K	Prepared	Check
			

Part No.	1206~1210ML Series	Document No.	AS-RDML-S02	REV.	K
----------	---------------------------	--------------	--------------------	------	----------



1. Part Number Identification

SFI 1206 ML 240 C-LF



1.1 Features of ML Series

1. RoHS compliant
2. SMD type body size 1206~1210
3. Meet IEC61000-4-5 standard
4. Bidirectional and symmetrical V/I characteristics
5. Large withstanding surge current capability : 100A~400A (@8/20 μ s)
6. Operating temperature range : -50~+85 $^{\circ}$ C
7. Multi-Layers construction provides higher power dissipation

Part No.	1206~1210ML Series	Document No.	AS-RDML-S02	REV.	K
http://www.sfi.com.tw E-mail : sfi@sfi.com.tw TEL : 886-3-3506998 FAX : 886-3-3507689 - 2 -					



1.2 Performance Characteristics

Part Number	Working Voltage (Max.)		Varistor Voltage	Clamping Voltage (Max.)	Peak Current (Max.)	Energy (Max.)	Typical Capacitance (1KHz)
	V_{RMS}	V_{DC}					
Symbol	V_{RMS}	V_{DC}	V_V	V_C	I_{Peak}	E	C
Unit	V	V	V	V	A	J	pF
SFI1206ML080C-LF	4	5.5	8(7.5~10.5)	20	100	0.2	3100
SFI1206ML180C-LF	11	14	18(15.3~20.7)	30	100	0.3	800
SFI1206ML180A-LF	11	14	18(15.3~20.7)	30	200	0.5	1200
SFI1206ML240C-LF	14	18	24(21.6~26.4)	39	100	0.3	620
SFI1206ML240A-LF	14	18	24(21.6~26.4)	39	200	0.5	780
SFI1206ML270C-LF	17	22	27(24.3~29.7)	44	100	0.4	700
SFI1206ML330C-LF	20	26	33(29.7~36.3)	54	100	0.5	480
SFI1206ML330A-LF	20	26	33(29.7~36.3)	54	200	0.7	700
SFI1206ML390C-LF	25	30	39(35.1~42.9)	65	100	0.6	400
SFI1206ML390A-LF	25	30	39(35.1~42.9)	65	200	1.0	510
SFI1206ML470C-LF	30	38	47(42.3~51.7)	77	100	0.7	260
SFI1206ML470A-LF	30	38	47(42.3~51.7)	77	200	1.1	440
SFI1206ML560C-LF	35	45	56(50.4~61.6)	90	100	0.8	230
SFI1206ML680C-LF	40	56	68(61.2~74.8)	110	100	1.0	200
SFI1206ML820C-LF	50	65	82(73.8~90.2)	135	100	0.5	175
SFI1206ML101C-LF	60	85	100(90.0~110.0)	165	100	0.6	150
SFI1210ML080C-LF	4	5.5	8(7.5~10.5)	20	250	0.4	5200
SFI1210ML240C-LF	14	18	24(21.6~26.4)	39	250	0.8	1150
SFI1210ML240A-LF	14	18	24(21.6~26.4)	39	400	1.4	1600
SFI1210ML270A-LF	17	22	27(24.3~29.7)	44	400	1.7	1500
SFI1210ML330C-LF	20	26	33(29.7~36.3)	54	250	1.2	610
SFI1210ML330A-LF	20	26	33(29.7~36.3)	54	400	1.9	880
SFI1210ML390C-LF	25	30	39(35.1~42.9)	65	250	1.4	550
SFI1210ML390A-LF	25	30	39(35.1~42.9)	65	400	1.7	800
SFI1210ML470A-LF	30	38	47(42.3~51.7)	77	400	2.0	530
SFI1210ML560C-LF	35	45	56(50.4~61.6)	90	250	2.0	400
SFI1210ML680C-LF	40	56	68(61.2~74.8)	110	250	2.3	300



1.3 Reference Data

Parameter	Symbol		Value	Unit
Leakage current at $V_v \times 80\%$ (at initial state)	I_{VV}	<	50	μA
Leakage current at $V_v \times 80\%$ (after surge test)	I_{VVA}	<	200	μA
Response time	T_{rise}	<	1	ns
Operation ambient temperature	T_{OPT}		-50~+85	$^{\circ}C$
Storage temperature range	T_{STG}		-50~+125	$^{\circ}C$
Reflow solder profile temperature (recommend)			260 $^{\circ}C$ (3~10sec) 245 $^{\circ}C$ (10~20sec)	

1.4 Other Data


Parameter	Value	Unit
Body	ZnO	
End termination	Ag/Ni/Sn	
Packaging	Reel	
Marking	None	
Lead content	<1000	ppm

Notes :

- * 1 The varistor breakdown voltage was measured at 1mA.
- * 2 The clamping voltage was measured at 8/20 μs standard current, 1206(1A) and 1210(2.5A).
- * 3 The peak current was tested at 8/20 μs waveform.
- * 4 The capacitance and energy values only for customer reference, it's not formal specification.
- * 5 The components shall be employed within 1 year, in the nitrogen condition.


2. Mechanical Characteristics

Model	1206(3216)	1210(3225)
Length(L)	3.20 \pm 0.20	3.20 \pm 0.20
Width(W)	1.60 \pm 0.15	2.50 \pm 0.20
Thickness(T)	1.50 max.	1.50 max.
Termination(a)	0.50 \pm 0.20	0.50 \pm 0.20



Part No.	1206~1210ML Series	Document No.	AS-RDML-S02	REV.	K
http://www.sfi.com.tw E-mail : sfi@sfi.com.tw TEL : 886-3-3506998 FAX : 886-3-3507689 - 4 -					

3. Surge Wave Form



IEC61000-4-5 Standards

SEVERITY LEVEL	t1 (=1.67t'1)	t2
1	8μs	20μs
2	10μs	1000μs

8/20μs waveform current

4. Environment Reliability Test


Characteristic	Test Method and Description			
High Temperature Storage	The specimen shall be subjected to 125±2°C for 1000±2 hours without load and then stored at room temperature and normal humidity for one or two hours. The change of varistor voltage shall be within 10%.			
Temperature Cycle	The temperature cycle of specified temperature shall be repeated five times and then stored at room temperature and normal humidity for one or two hours. The change of varistor voltage shall be within 10% and mechanical damage shall be examined.	Step	Temperature	Period
		1	-40±3°C	30±3min
		2	room temperature	1 hour
		3	125±3°C	30±3min
4	room temperature	1 hour		
High Temperature Load	After being continuously applied the maximum allowable voltage at 85±2°C for 1000±2 hours, the specimen shall be stored at room temperature and normal humidity for one or two hours. The change of varistor voltage shall be within 10%.			
Damp Heat Load/ Humidity Load	The specimen should be subjected to 40±2°C and 90~95% RH, the maximum allowable voltage applied for 1000±2 hours and then stored at room temperature and normal humidity for one or two hours. The change of varistor voltage shall be within 10%.			
Low Temperature Storage	The specimen should be subjected to -40±2°C for 1000±2 hours without load and then stored at room temperature and normal humidity for one or two hours. The change of varistor voltage shall be within 10%.			

5. Soldering Recommendations

5.1 Recommended solder pad layout

(Unit : mm)

	A	B	C
1206	1.8~2.5	1.2~1.8	1.4~2.0
1210	1.8~2.5	1.3~2.0	2.3~3.0




5.2 The SIR test of the solder paste shall be done (Based on JIS-Z-3284)

5.3 Steel plate and foot distance printing

Foot distance printing (mm)	Steel plate thickness (mm)
$\geq 0.65\text{mm}$	0.18mm
0.50~0.65mm	0.15mm
0.40~0.50mm	0.12mm
$\leq 0.40\text{mm}$	0.10mm

5.4 The IR reflow and temperature of soldering for Pb free process



☆ IR reflow Pb free process suggestion profile

- (1) The solder recommend is Sn96.5/Ag3.5 and thickness recommend as shown in table 5.3
- (2) Ramp-up rate (217°C to peak) +3°C/second max.
- (3) Temp. maintain at 175±25°C 180 seconds max.
- (4) Temp. maintain above 217°C 60~150 seconds

Part No.	1206~1210ML Series	Document No.	AS-RDML-S02	REV.	K
http://www.sfi.com.tw E-mail : sfi@sfi.com.tw TEL : 886-3-3506998 FAX : 886-3-3507689 - 6 -					



(5) Peak temperature range 245 +20/-10°C within 5°C of actually peak temperature (t_p) 10~20 seconds

(6) Ramp down rate -6°C/second max.

※Perform adequate test in advance as the reflow temperature profile will vary according to the conditions of the manufacturing process and the specification of the reflow furnace.

5.5 Resistance to soldering heat and high temperature resistance : 260°C , 10sec 3 times

5.6 Hand soldering

In hand soldering of the varistors, large temperature gradient between preheated the varistors and the tip of soldering iron may cause electrical failures and mechanical damages such as cracking or breaking of the devices. The soldering shall be carefully controlled and carried out, so that the temperature gradient is kept minimum with following recommended conditions for hand soldering.

5.6.1 Recommended soldering condition 1 (with preheating)

(1) Solder

0.12~0.18mm thread solder (Sn96.5:Ag3.5) with soldering flux in the core
rosin-based and non-activated flux is recommended.

(2) Preheating

The varistors shall be preheated so that temperature gradient between the devices and the tip of soldering iron is 150°C or below.

(3) Soldering iron

Rated power of 20W max. with 3mm soldering tip in diameter

Temperature of soldering iron tip 380°C max., 3~5sec (The required amount of solder shall be melted in advance on the soldering tip.)

(4) Cooling

After soldering, the varistors shall be cooled gradually at room ambient temperature.

5.6.2 Recommended soldering condition 2 (without preheating)

(1) Solder iron tip shall not directly touch to ceramic dielectrics.

(2) Solder iron tip shall be fully preheated before soldering while soldering iron tip to the external electrode of varistors.

5.7 Post soldering cleaning

5.7.1 Residues of corrosive soldering fluxes on the PC board after cleaning may greatly have influences on the electrical characteristic and the reliability (such as humidity resistance) of the varistors which have been mounted on the board. It shall be confirmed that the characteristic and the reliability of the devices are not affected by the applied cleaning conditions.

5.7.2 When an ultrasonic cleaning is applied to the mounted varistors on PC boards. Following conditions are recommended for preventing failures or damages of the devices due to the large vibration energy and the resonance conditions caused by the ultrasonic waves.

(1) Frequency 29MHz max.

(2) Radiated power 20W/liter max.

(3) Period 5 minutes max.


Part No.	1206~1210ML Series	Document No.	AS-RDML-S02	REV.	K
http://www.sfi.com.tw E-mail : sfi@sfi.com.tw TEL : 886-3-3506998 FAX : 886-3-3507689 - 7 -					

6. Packaging Specification

6.1 Carrier tape and transparent cover tape should be heat-sealed to carry the products, and the reel should be used to reel the carrier tape.

6.2 The adhesion of the heat-sealed cover tape shall be 40 +20/-15 grams.


6.3 Both the head and the end portion of the taping shall be empty for reel package and SMT auto-pickup machine. And a normal paper tape shall be connected in the head of taping for the operator to handle.



(Unit : mm)

Symbol	A_0 ± 0.10	B_0 ± 0.10	K_0 ± 0.10	T ± 0.05	T_2 ± 0.05	D_0 $+0.10$ -0.00	D_1 ± 0.05	P_1 ± 0.10	P_2 ± 0.05	P_0 ± 0.05	W ± 0.20	E ± 0.10	F ± 0.05
1206	1.85	3.50	1.60	0.22	1.82	1.50	1.00	4.00	2.00	4.00	8.00	1.75	3.50


Part No.	1206~1210ML Series	Document No.	AS-RDML-S02	REV.	K
http://www.sfi.com.tw E-mail : sfi@sfi.com.tw TEL : 886-3-3506998 FAX : 886-3-3507689 - 8 -					



(Unit : mm)

Symbol	A_0 ± 0.10	B_0 ± 0.10	K_0 ± 0.10	T ± 0.05	T_2 ± 0.05	D_0 $+0.10$ -0.00	D_1 ± 0.05	P_1 ± 0.10	P_2 ± 0.05	P_0 ± 0.05	W ± 0.20	E ± 0.10	F ± 0.05
1210	2.78	3.46	1.55	0.22	1.77	1.50	1.00	4.00	2.00	4.00	8.00	1.75	3.50

7. Reel Dimension



(Unit : mm)

Symbol	A	B	C	D	E	W	W ₁
1206	178.0±1.0	60.0±0.5	13.0±0.2	21.0±0.2	2.0±0.5	9.0±0.5	1.5±0.1
1210	178.0±1.0	60.0±0.5	13.0±0.2	21.0±0.2	2.0±0.5	9.0±0.5	1.5±0.1

8. Standard Packaging

Size	1206	1210
Pcs	3000	2000