# Sucoform 86 CT EZ 86 CT Phase invariant cable assemblies



Together with the Minibend CTR, Sucoform 86 CT and EZ 86 CT (semi-rigid) complete the offering of phase invariant cable assemblies in the diameter range of 0.086". The products are developed for phase critical applications requiring precision electrical length connectivity. Depending on the application, there is the choice of a flexible (Minibend), a hand formable (Sucoform) or a semi-rigid (EZ) solution.

- Excellent phase and insertion loss stability over temperature vs. PTFE solutions
- Outstanding phase insertion loss and stability over different temperature cycles
- Classic form stable semi-rigid cable (EZ)
- Easy to form, strip and solder
- Conformable, hand formable and form stable cable, no need for bending tools
- Shielding effectiveness ≥ 100 dB (up to 18 GHz)



### Phase invariant cable assemblies

The 86 CT microwave cable family offers the choice of a flexible, hand formable or form stable assembly solution with phase and insertion loss stability factors better than the established PTFE-based products.

Sucoform 86 CT	Hand formable, form stable cable with tin soaked braid outer conductor
EZ 86 CT	Form stable cable with tubular, tin plated outer conductor
Minibend 86 CTR	Flexible cable assembly with bend-to-the-end connector termination

#### Features

- No abrupt phase change over temperature (no PTFE knee at 19 °C/66 °F)
- Outstanding return loss and shielding effectiveness performance
- Easy installation (hand formable)
- Small bending radii

#### Benefits

- Increased system accuracy over temperature change
- Stable system performance over multiple temperature cycles
- Product reliability meeting the specified values not only at one single temperature
- No leaking/cross talk
- Space and time saving routing (Sucoform) and installation (EZ)

#### Phase stability versus temperature

SM 86 CT < 400 ppm absolute phase change over -55 to +125 °C temperature range

EZ 86 CT

< 600 ppm absolute phase change over -55 to +125 °C temperature range < 100 ppm absolute phase change over 0 to +90 °C temperature range



### Maximal phase and insertion stability over temperature cycles

Due to its robust outer conductor construction and ideal raw material selection, both Sucoform 86 CT as well as EZ 86 CT provide extremely solid insertion loss and phase stability values over multiple temperature cycles (full cycle windows from -55 to +125 °C).

Over changing temperatures, flexible outer conductor designs tend to expand/reduce together with the enlarging/contracting dielectric core and therefore changes the dimensional configuration of the cable, which leads to signal integrity variations. Sturdy construction keep the cable dimensions in place and therefore provide higher repeatability.

### Variation over temperature cycles



## 2nd cycle 3rd cycle 4th cylce 5th cycle 6th cycle

#### Connector selection

- 11\_SMA-50-2-77
- 11\_SK-50-2-64
- 11\_MMPX-50-2-4
- 16\_MMPX-50-2-3

Other interfaces or patterns on request.

HUBER+SUHNER AG Radio Frequency Division Tumbelenstrasse 20 8330 Pfäffikon/Switzerland Phone +41 44 952 2211 hubersuhner.com

HUBER+SUHNER Astrolab 4 Powder Horn Drive Warren, New Jersey/USA Phone +1 732 560 9570 astrolab.hubersuhner.com

HUBER+SUHNER is certified according to EN(AS) 9100, ISO 9001, ISO 14001, ISO/TS 16949 and IRIS.

Waiver Fact and figures herein are for information only and do not represent any warranty of any kind.