

PRODUCT-DETAILS

TY125-40-100 CABLE TIE 30LB 5.5IN NATURAL NYL



General Information	
Extended Product Type	TY125-40-100
Product ID	7TAG054360R0125
EAN	5414363060543
Catalog Description	CABLE TIE 30LB 5.5IN NATURAL NYL
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius for Indoor Applications, UL/IEC 62275 Type 2/21 Rated for AH-2 Plenum, Length of 143mm, Width of 3.6mm, Thickness of 1.2mm, Tensile Strength Rating of 180 Newtons, 100 Pack

Ordering	
E-Number (Finland)	1370040
EAN	5414363060543
UPC	786210918099
Country of Origin	Hungary (HU) United States (US)
Selling Unit of Measure	each

Dimensions	
Product Net Width	6.1 mm 0.24 in
Product Net Depth / Length	143 mm 5.63 in

TY125-40-100 2

100 p	
	5 in
1	<u>mm</u> .7 in
	9 in
·	
	<u>mm</u>
	.5 in mm
	17 in ⊥ <u>mm</u>
	<u> </u>
	V-2
Tv-	Fast
32	mm 26 in
	tural
19930	0820
Plastic F	Pawl
Nylon/Polyamide	e 6.6
CATAMOUNT FASTENING PRODU	CTS
General Purp "The integrally formed polyamide pawl combines low insertion and high lock strength. The low profile head significantly reduces the potential for snagg during installation. Quick and easy pull through increases productivity, redu operator fatigue. Tail with finger grip design that helps operator grasp and ties snugly. Sure grip tab keeps the tail from popping out while being treat then holds it it securely for final tightening by hand or	king jing ices pull ted,
UL E49	
18	80 N
	40 lb
	mm <u>47 in</u>
	<u> </u>
TDS000)751
9AKK107492A9	9843
	_
E0000046 Cobl	le tie
39121	
0012	
Product Not in WEEE So	cope
	229 1000 p 13. 13. 337 10 267 432 Ty 32 1. Na 19930 Plastic I Nylon/Polyamide CATAMOUNT FASTENING PRODU General Purp "The integrally formed polyamide pawl combines low insertion and high loci strength. The low profile head significantly reduces the potential for snage during installation. Quick and easy pull through increases productivity, redu operator fatigue. Tail with finger grip design that helps operator grasp and ties snugly. Sure grip tab keeps the tail from popping out while being trea operator fatigue. Tail with finger grip design that helps operator grasp and ties snugly. Sure grip tab keeps the tail from popping out while being trea operator fatigue. Tail with finger grip design that helps operator grasp and ties snugly. Sure grip tab keeps the tail from popping out while being trea operator fatigue. Tail with finger grip design that helps operator grasp and ties snugly. Sure grip tab keeps the tail from popping out while being trea operator fatigue. Tail with finger grip design that helps operator grasp and ties snugly. Sure grip tab keeps the tail from popping out while being trea operator fatigue. Tail with finger grip design that helps operator grasp and ties snugly. Sure grip tab keeps the tail from popping out while being trea operator fatigue. Tail with finger grip design that helps operator grasp and ties snugly. Sure grip tab keeps the tail from popping out while being trea operator fatigue. Tail with finger grip design that helps operator grasp and ties snugly. Sure grip tab keeps the sail from poping out while the grip the state of the poping out while the grip the state of the poping out while the grip the poping out the grip the poping out the grip the poping out the grip the

TY125-40-100 3

IDEA Granular Category

<u>Code (IGCC)</u>

5034 >> Cable ties

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

