

PRODUCT-DETAILS

TY400-50X-100 CBL TIE 14IN UV BLACK NYL 50LB



General Information	
Extended Product Type	TY400-50X-100
Product ID	7TAG054360R0337
EAN	5414363075363
Catalog Description	CBL TIE 14IN UV BLACK NYL 50LB
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/IEC 62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 365mm, Width of 4.7mm, Thickness of 1.2mm, Tensile Strength Rating of 220 Newtons, 100 Pack

Ordering	
EAN	5414363075363
UPC	075114952392
Country of Origin	Hungary (HU) United States (US) Mexico (MX)
Selling Unit of Measure	each

Dimensions	
Dimensions	
Product Net Width	4.7 mm
	0.188 in
Product Net Depth /	366 mm

TY400-50X-100 2

14.409 in Length **Container Information** Package Level 1 Units 100 piece Package Level 1 Width 6 in 152 mm Package Level 1 Height 1.7 in 43 mm Package Level 1 Depth / 18 in Length 457 mm Package Level 2 Units 5000 piece Package Level 2 Width 5.8 in 147 mm Package Level 2 Height 5.6 in 142 mm 15.4 in Package Level 2 Depth / <u>391 mm</u> Length Technical UL/CSA V-2 Flammability According to **UL94** Additional Information Brand / Label Ty-Fast **Bundle Diameter** 102 mm 4.016 in Color Black 19930820 Effective Date Lock Type Plastic Pawl Material Nylon/Polyamide 6.6 **Product Name** PLASTIC CABLE TIE Product Type General Purpose Special Functions "The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or tool" UL E49405 Standards 222 N Tensile Strength 50 lb Thickness 1.2 mm 0.047 in **Certificates** and Declarations Data Sheet, Technical TDS000751 Information 9AKK107492A9843 **Declaration of Conformity** Classifications ETIM 6 EC000046 - Cable tie ETIM 7 EC000046 - Cable tie ETIM 8 EC000046 - Cable tie

UNSPSC

39121703

TY400-50X-100 3

WEEE Category Product Not in WEEE Scope
IDEA Granular Category 5034 >> Cable ties
Code (IGCC)

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

