

PRODUCT-DETAILS

TY244MX

CABLE TIE 29LB 14.5IN UV BLACK NYL



General Information	
Extended Product Type	TY244MX
Product ID	7TCG009130R0006
EAN	5414363062097
Catalog Description	CABLE TIE 29LB 14.5IN UV BLACK NYL
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 366mm (14.4 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1.15mm (0.045 Inch), Tensile Strength Rating of 130 Newtons (29 pounds), Bulk Pack

Ordering	
EAN	5414363062097
UPC	786210878010
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.14 in
	3.6 mm

TY244MX 2

Product Net Depth / 14.4 in Length 366 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	17 in 432 mm
Package Level 2 Height	10.9 in 277 mm
Package Level 2 Depth / Length	23.3 in 592 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information		
Brand / Label	Ty-Rap	
Bundle Diameter	0.08 to 4.02 in 2 to 102 mm	
Color	Black	
Effective Date	19710315	
Lock Type	Stainless Steel Barb	
Material	Nylon/Polyamide 6.6	
Product Name	CABLE TIE	
Product Type	High Performance	
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.	
Standards	UL E49405	
Tensile Strength	29 lb 130 N	
Thickness	0.04 in 1.0 mm	

Certificates and Declarations	
Data Sheet, Technical Information	TDS000566
Declaration of Conformity - CE	9AKK107492A9841

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category	5034 >> Cable ties

TY244MX 3

Code (IGCC)

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

