

PRODUCT-DETAILS

TY526MXR

CABLE TIE 30LB 11IN UV BLACK NYLON



General Information

Extended Product Type	TY526MXR
Product ID	7TCG009450R0178
EAN	5414363065715
Catalog Description	CABLE TIE 30LB 11IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultra-Violet Resistant Polyamide for Indoor or Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 277mm (10.9 Inches), Width of 3.71mm (0.14 Inches), Thickness of 1.31mm (0.05 Inches), Tensile Strength Rating of 130 Newtons (29 pounds), Euroslot Packaging

Ordering

E-Number (Finland)	1381516
EAN	5414363065715
UPC	786210519227
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions

Product Net Width	0.146 in
-------------------	----------

	3.71 mm
Product Net Depth / Length	10.9 in
	277 mm

Container Information

Package Level 1 Units	100 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	15.5 in
	394 mm
Package Level 2 Height	11 in
	279 mm
Package Level 2 Depth / Length	23.25 in
	591 mm

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Color	Black
Effective Date	19980621
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	TY-RAP FASTENING
Product Type	High Performance
RoHS Date	9AKK107991A8361
Tensile Strength	29 lb
	130 N
Thickness	0.04 in
	1 mm

Certificates and Declarations

Data Sheet, Technical Information	TDS000566
Declaration of Conformity - CE	9AKK107492A9841

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

