

PRODUCT-DETAILS

TYB25M

CABLE TIE 50LB 7IN NAT NYLON WKBOX

General Information	
Extended Product Type	TYB25M
Product ID	7TCG009450R0193
EAN	5414363067092
Catalog Description	CABLE TIE 50LB 7IN NAT NYLON WKBOX
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 185.67mm (7.31 Inches), Width of 4.9mm (0.19 Inches), Thickness of 1.09mm (0.043 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds), Workbench Box Packaging

Ordering	
EAN	5414363067092
UPC	786210541716
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.184 in
	4.67 mm
Product Net Depth /	7.2 in

TYB25M 2

Length 183 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	6.3 in 160 mm
Package Level 1 Height	7.5 in 191 mm
Package Level 1 Depth / Length	6.3 in 160 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	13.4 in 340 mm
Package Level 2 Height	9.4 in 239 mm
Package Level 2 Depth / Length	33.1 in 841 mm

Technical UL/CSA	
Flammability According to UL94	V-2

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 1.89 in 3 to 48 mm
Color	Natural
Effective Date	19980621
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	TY-RAP FASTENING
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm

Certificates and Declarations	
Data Sheet, Technical	TDS000518
Information	

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie

TYB25M 3

UNSPSC39121703WEEE CategoryProduct Not in WEEE ScopeIDEA Granular Category5034 >> Cable tiesCode (IGCC)5034 >> Cable ties

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$