

PRODUCT-DETAILS

TYC527MX

CBL TIE 85LB 13IN UV BLACK NYLON 12

General Information	
Extended Product Type	TYC527MX
Product ID	7TCG009580R0007
EAN	5414363126775
Catalog Description	CBL TIE 85LB 13IN UV BLACK NYLON 12
Long Description	Cable Tie, Black Polyamide (Nylon 12) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 343mm (13.5 Inches), Width of 7.4mm (0.29 Inches), Thickness of 1.6mm (0.05 Inches), Tensile Strength Rating of 380 Newtons (85 Pounds)

Ordering	
EAN	5414363126775
UPC	786210927831
Country of Origin	Hungary (HU) United States (US)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.29 in
	7.4 mm

TYC527MX 2

Product Net Depth / 13.5 in Length 343 mm

Container Information	
Package Level 1 Units	50 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	1 in 25 mm
Package Level 1 Depth / Length	18 in 457 mm
Package Level 2 Units	2000 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	9.1 in 231 mm
Package Level 2 Depth / Length	19.7 in 500 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.19 to 4 in 4.8 to 102 mm
Color	Black
Effective Date	20040209
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 12
Product Name	OTHER PLASTICS ITEMS
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	90 lb 400 N
Thickness	0.06 in 1.5 mm

Certificates and Declarations	
Data Sheet, Technical	TDS000575
Information	

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie

TYC527MX 3

UNSPSC39121703WEEE CategoryProduct Not in WEEE ScopeIDEA Granular Category5034 >> Cable tiesCode (IGCC)5034 >> Cable ties

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

