

PRODUCT-DETAILS

## **TY200-40X-C** 180N UV CABLE TIE 203MM DIS

Bart Contract Stress 38

General Information	
Extended Product Type	TY200-40X-0
Product ID	7TCG054360R0436
EAN	5415022524383
Catalog Description	180N UV CABLE TIE 203MM DIS
Long Description	"Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 115 Degrees Celsius Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/IEC 62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 203mm, Width of 3.5mm, Thickness of 1.2mm , Tensile Strength Rating of 180 Newtons. 100 Pack
	100 Newtons, 100 Fack
Ordering	
<b>Ordering</b>	5415022524383
EAN	5415022524383
EAN UPC	5415022524383 786210362355
EAN UPC Country of Origin	5415022524383 786210362359 China (CN
EAN UPC Country of Origin	5415022524383 786210362359 China (CN
EAN UPC Country of Origin Selling Unit of Measure	5415022524383 786210362359 China (CN

© 2024 ABB. All rights reserved.

2024/04/04

Subject to change without notice

	110 mm
Package Level 1 Height	0.59 in
	15 mm
Package Level 1 Depth /	12.2 in
Length	310 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	15.75 in
	400 mm
Package Level 2 Height	6.69 in
	170 mm
Package Level 2 Depth /	19.69 in
Length	500 mm

Additional Information		
Brand / Label	Ty-Fast	
Bundle Diameter	52.5 mm 2.067 in	
Color	Black	
Effective Date	20220125	
Lock Type	Plastic Pawl	
Product Main Type	CABLE TIES AND ACCESSORIES	
Product Name	PLASTIC CABLE TIE	
Product Type	General Purpose	
Special Functions	"The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or too!"	
Standards	UL E49405	
Tensile Strength	180 N 40 lb	
Thickness	1.2 mm 0.047 in	

Certificates and Declarations		
Data Sheet, Technical Information	TDS000751	
Classifications		
Classifications ETIM 6	EC000046 - Cable tie	
	EC000046 - Cable tie EC000046 - Cable tie	
ETIM 6		

5034 >> Cable ties

IDEA Granular Category Code (IGCC)

## Categories

Low Voltage Products and Systems  $\rightarrow$  Installation Products  $\rightarrow$  Wire Management and Connectivity  $\rightarrow$  Cable Ties

