


WPC-W-P-RX-CF-125 Temp. Specification

1. Explanation of Part Number:



- (1) Product type : Wireless Power Charging
- (2) Mode : WPC
- (3) Active or passive : Passive
- (4) Type : Power Receiver
- (5) Antenna material or type : COIL +Nano
- (6) Suffix : Serial number

2. Electrical Specification:

Test Item	Test Condition	Specification
Inductance	100K Hz, 1V	$10 \pm 10\% \mu\text{H}$
Q	100K Hz, 1V	30(Min)
DCR	@25°C	200mΩ(MAX)

UNLESS OTHER SPECIFIED TOLERANCES ON :
X = $\pm$ X.X = $\pm$ X.XX =
ANGLES = $\pm$ HOLE DIA = $\pm$



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY: 马宗演

CHECKED BY: Ricky

DESIGNED BY: Ricky

APPROVED BY: YQ.He

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


TITLE : WPC-W-P-RX-CF-125 Specification

DOCUMENT
NO.

ENS000166260

SPEC REV.
A1

3. Assemble Dimension:



4. Operating & Storage Condition:

- a.) OPERATING TEMPERATURE RANGE: $-25^{\circ}\text{C} \sim +75^{\circ}\text{C}$
- b.) STORAGE TEMPERATURE RANGE: $-20^{\circ}\text{C} \sim +75^{\circ}\text{C}$; HUMIDITY: 50% MAX.

5. Packing:

5.1. Tray 包装: 每格内放置 2PCS*80 格, 每个 Tray 数量 160PCS



UNLESS OTHER SPECIFIED TOLERANCES ON :
 $X = \pm$ $X.X = \pm$ $X.XX =$
ANGLES = $\pm$ HOLE DIA = $\pm$



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY: 马宗演

CHECKED BY: Ricky

DESIGNED BY: Ricky

APPROVED BY: YQ.He

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


TITLE : WPC-W-P-RX-CF-125 Specification

DOCUMENT
NO.

ENS000166260

SPEC REV.
A1


5.2. 5 层 Tray+1 层空 Tray+天地板为一内箱，数量 800PCS



5.3. 1 外箱装 4 内箱，一箱数量 3200PCS



实物图(正/反面):



UNLESS OTHER SPECIFIED TOLERANCES ON :
X = ± X . X = ± X . X X =
A N G L E S = ± H O L E D I A = ±

SCALE : N/A

UNIT : mm

DRAWN BY: 马宗演

CHECKED BY: Ricky

DESIGNED BY: Ricky

APPROVED BY: YQ.He



INPAQ TECHNOLOGY CO., LTD.

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : WPC-W-P-RX-CF-125 Specification

DOCUMENT
NO.

ENS000166260

SPEC REV.
A1